ELSEVIER

Brain Research Protocols 6 (2001) 190–191

BRAIN RESEARCH PROTOCOLS

www.elsevier.com/locate/bres

Author Index

Adeghate, E. and Donáth, T.
Transplantation of tissue grafts into the anterior eye chamber: a method to study intrinsic neurons (6) 33
Aïtoubah, J., see Molotchnikoff, S. (6) 148
Atlante, A., Valenti, D., Gagliardi, S. and Passarella, S.
A sensitive method to assay the xanthine oxidase activity in primary cultures of cerebellar granule cells (6) 1

Bretzner, F., see Molotchnikoff, S. (6) 148
Brickman, A.M., see Tabert, M.H. (6) 80
Buchsbaum, M.S., see Tabert, M.H. (6) 80

Caretta, A., see Mucignat-Caretta, C. (6) 185
Chang, P.-T. and Su, Y.
Protocol for quantitative and qualitative analyses of the in vitro aggregation of synthetic β-amyloid. A method applicable to the identification of substances that may have therapeutic efficacy for Alzheimer's disease (6) 6
Chervet, J.-P., see Suder, P. (6) 40
Choi, J.-H., see Park, E.-M. (6) 25
Chokron, S., see Tabert, M.H. (6) 80

Dickstein, J.B., see Seabrook, T.J. (6) 172
Dodd, P.R., see Hawkins, A.J. (6) 47
Donáth, T., see Adeghate, E. (6) 33

Eriksson, A. and Nordqvist, K.
Protocol for using signal peptide differential display and representational difference analysis to isolate differentially expressed cDNAs from fetal mouse brain (6) 119

Fairén, A., see Luque, J.M. (6) 129

Gagliardi, S., see Atlante, A. (6) 1
Geisler, H.C., see Van Eykern, L.A. (6) 108
Gonçalves, C.-A., see Tramontina, F. (6) 86
Gonçalves, D., see Tramontina, F. (6) 86
Gong, C.-X., Lidsky, T., Wegiel, J., Grundke-Iqbal, I. and Iqbal, K.
Metabolically active rat brain slices as a model to study the regulation of protein phosphorylation in mammalian brain (6) 134
Goodman, S.R., see Sangerman, J. (6) 141
Gottfried, C., see Tramontina, F. (6) 86
Gramsbergen, A., see Van Eykern, L.A. (6) 108
Greiner, M.A., see Whitlon, D.S. (6) 159
Grundke-Iqbal, I., see Gong, C.-X. (6) 134
Guillemot, J.-P., see Molotchnikoff, S. (6) 148

Han, M.-Y., see Park, E.-M. (6) 25
Hawkins, A.J. and Dodd, P.R.
Localisation of $GABA_A$ receptor subunits in the CNS using RT-PCR (6) 47
Hay, J.B., see Seabrook, T.J. (6) 172
Hendry, I.A., see Kelleher, K.L. (6) 100
Höhne, G., see Suder, P. (6) 40

Iqbal, K., see Gong, C.-X. (6) 134
Iwata, M., see Sakurai, Y. (6) 167

Kanazawa, I., see Sakurai, Y. (6) 167
Karl, J., see Tramontina, F. (6) 86
Kelleher, K.L., Leck, K.-J., Hendry, I.A. and Matthaei, K.I.
A one-step quantitative reverse transcription polymerase chain reaction procedure (6) 100
Kivell, B.M., McDonald, F.J. and Miller, J.H.
Method for serum-free culture of late fetal and early postnatal rat brainstem neurons (6) 91
Kotlińska, J., see Suder, P. (6) 40
Kumakura, Y., see Sakurai, Y. (6) 167

Leck, K.-J., see Kelleher, K.L. (6) 100
Lęgowska, A., see Suder, P. (6) 40
Lidsky, T., see Gong, C.-X. (6) 134
Luque, J.M., Morante-Oria, J., Riederer, B.M. and Fairén, A.
Whole-mount confocal immunofluorescence of mammalian CNS (6) 129

Maines, M.D., see Panahian, N. (6) 53
Martinez-Fong, D. and Navarro-Quiroga, I.
Synthesis of a non-viral vector for gene transfer via the high-affinity neurotensin receptor (6) 13
Matthaei, K.I., see Kelleher, K.L. (6) 100
McDonald, F.J., see Kivell, B.M. (6) 91
Mendez, A., see Tramontina, F. (6) 86
Miller, J.H., see Kivell, B.M. (6) 91
Molotchnikoff, S., Aïtoubah, J., Bretzner, F., Shumikhina, S., Tan, Y.-F. and Guillemot, J.-P.
Comparative computations of spike synchronization in visual cortex of cats (6) 148
Momose, T., see Sakurai, Y. (6) 167
Morante-Oria, J., see Luque, J.M. (6) 129
Mucignat-Caretta, C. and Caretta, A.
Visualization of detergent insoluble cyclic AMP-dependent protein kinase RIα aggregates in the rat brain (6) 185

Navarro-Quiroga, I., see Martinez-Fong, D. (6) 13
Nordqvist, K., see Eriksson, A. (6) 119

Ohtomo, K., see Sakurai, Y. (6) 167

Panahian, N. and Maines, M.D.
Assessment of induction of biliverdin reductase in a mouse model of middle cerebral artery occlusion (6) 53
Park, E.-M., Choi, J.-H., Park, J.-S., Han, M.-Y. and Park, Y.-M.
Measurement of glutathione oxidation and 8-hydroxy-2′-deoxyguanosine accumulation in the gerbil hippocampus following global ischemia (6) 25
Park, J.-S., see Park, E.-M. (6) 25
Park, Y.-M., see Park, E.-M. (6) 25
Passarella, S., see Atlante, A. (6) 1
Portela, L.V., see Tramontina, F. (6) 86

Riederer, B.M., see Luque, J.M. (6) 129
Rolka, K., see Suder, P. (6) 40

Sakurai, Y., Momose, T., Iwata, M., Sudo, Y., Kumakura, Y., Ohtomo, K. and Kanazawa, I.
Cortical activation in reading assessed by region of interest-based analysis and statistical parametric mapping (6) 167
Sangerman, J. and Goodman, S.R.
Measurement of the synthesis, turnover, and assembly of α- and β-erythroid and nonerythroid spectrins in cultured rat hippocampal neurons (6) 141

PII: S1385-299X(01)00041-1

ELSEVIER

Brain Research Protocols 6 (2001) 190–191

BRAIN RESEARCH PROTOCOLS

www.elsevier.com/locate/bres

Author Index

Adeghate, E. and Donáth, T.
Transplantation of tissue grafts into the anterior eye chamber: a method to study intrinsic neurons (6) 33
Aïtoubah, J., see Molotchnikoff, S. (6) 148
Atlante, A., Valenti, D., Gagliardi, S. and Passarella, S.
A sensitive method to assay the xanthine oxidase activity in primary cultures of cerebellar granule cells (6) 1

Bretzner, F., see Molotchnikoff, S. (6) 148
Brickman, A.M., see Tabert, M.H. (6) 80
Buchsbaum, M.S., see Tabert, M.H. (6) 80

Caretta, A., see Mucignat-Caretta, C. (6) 185
Chang, P.-T. and Su, Y.
Protocol for quantitative and qualitative analyses of the in vitro aggregation of synthetic β-amyloid. A method applicable to the identification of substances that may have therapeutic efficacy for Alzheimer's disease (6) 6
Chervet, J.-P., see Suder, P. (6) 40
Choi, J.-H., see Park, E.-M. (6) 25
Chokron, S., see Tabert, M.H. (6) 80

Dickstein, J.B., see Seabrook, T.J. (6) 172
Dodd, P.R., see Hawkins, A.J. (6) 47
Donáth, T., see Adeghate, E. (6) 33

Eriksson, A. and Nordqvist, K.
Protocol for using signal peptide differential display and representational difference analysis to isolate differentially expressed cDNAs from fetal mouse brain (6) 119

Fairén, A., see Luque, J.M. (6) 129

Gagliardi, S., see Atlante, A. (6) 1
Geisler, H.C., see Van Eykern, L.A. (6) 108
Gonçalves, C.-A., see Tramontina, F. (6) 86
Gonçalves, D., see Tramontina, F. (6) 86
Gong, C.-X., Lidsky, T., Wegiel, J., Grundke-Iqbal, I. and Iqbal, K.
Metabolically active rat brain slices as a model to study the regulation of protein phosphorylation in mammalian brain (6) 134
Goodman, S.R., see Sangerman, J. (6) 141
Gottfried, C., see Tramontina, F. (6) 86
Gramsbergen, A., see Van Eykern, L.A. (6) 108
Greiner, M.A., see Whitlon, D.S. (6) 159
Grundke-Iqbal, I., see Gong, C.-X. (6) 134
Guillemot, J.-P., see Molotchnikoff, S. (6) 148

Han, M.-Y., see Park, E.-M. (6) 25
Hawkins, A.J. and Dodd, P.R.
Localisation of $GABA_A$ receptor subunits in the CNS using RT-PCR (6) 47
Hay, J.B., see Seabrook, T.J. (6) 172
Hendry, I.A., see Kelleher, K.L. (6) 100
Höhne, G., see Suder, P. (6) 40

Iqbal, K., see Gong, C.-X. (6) 134
Iwata, M., see Sakurai, Y. (6) 167

Kanazawa, I., see Sakurai, Y. (6) 167
Karl, J., see Tramontina, F. (6) 86
Kelleher, K.L., Leck, K.-J., Hendry, I.A. and Matthaei, K.I.
A one-step quantitative reverse transcription polymerase chain reaction procedure (6) 100
Kivell, B.M., McDonald, F.J. and Miller, J.H.
Method for serum-free culture of late fetal and early postnatal rat brainstem neurons (6) 91
Kotlińska, J., see Suder, P. (6) 40
Kumakura, Y., see Sakurai, Y. (6) 167

Leck, K.-J., see Kelleher, K.L. (6) 100
Lęgowska, A., see Suder, P. (6) 40
Lidsky, T., see Gong, C.-X. (6) 134
Luque, J.M., Morante-Oria, J., Riederer, B.M. and Fairén, A.
Whole-mount confocal immunofluorescence of mammalian CNS (6) 129

Maines, M.D., see Panahian, N. (6) 53
Martinez-Fong, D. and Navarro-Quiroga, I.
Synthesis of a non-viral vector for gene transfer via the high-affinity neurotensin receptor (6) 13
Matthaei, K.I., see Kelleher, K.L. (6) 100
McDonald, F.J., see Kivell, B.M. (6) 91
Mendez, A., see Tramontina, F. (6) 86
Miller, J.H., see Kivell, B.M. (6) 91
Molotchnikoff, S., Aïtoubah, J., Bretzner, F., Shumikhina, S., Tan, Y.-F. and Guillemot, J.-P.
Comparative computations of spike synchronization in visual cortex of cats (6) 148
Momose, T., see Sakurai, Y. (6) 167
Morante-Oria, J., see Luque, J.M. (6) 129
Mucignat-Caretta, C. and Caretta, A.
Visualization of detergent insoluble cyclic AMP-dependent protein kinase RIα aggregates in the rat brain (6) 185

Navarro-Quiroga, I., see Martinez-Fong, D. (6) 13
Nordqvist, K., see Eriksson, A. (6) 119

Ohtomo, K., see Sakurai, Y. (6) 167

Panahian, N. and Maines, M.D.
Assessment of induction of biliverdin reductase in a mouse model of middle cerebral artery occlusion (6) 53
Park, E.-M., Choi, J.-H., Park, J.-S., Han, M.-Y. and Park, Y.-M.
Measurement of glutathione oxidation and 8-hydroxy-2′-deoxyguanosine accumulation in the gerbil hippocampus following global ischemia (6) 25
Park, J.-S., see Park, E.-M. (6) 25
Park, Y.-M., see Park, E.-M. (6) 25
Passarella, S., see Atlante, A. (6) 1
Portela, L.V., see Tramontina, F. (6) 86

Riederer, B.M., see Luque, J.M. (6) 129
Rolka, K., see Suder, P. (6) 40

Sakurai, Y., Momose, T., Iwata, M., Sudo, Y., Kumakura, Y., Ohtomo, K. and Kanazawa, I.
Cortical activation in reading assessed by region of interest-based analysis and statistical parametric mapping (6) 167
Sangerman, J. and Goodman, S.R.
Measurement of the synthesis, turnover, and assembly of α- and β-erythroid and nonerythroid spectrins in cultured rat hippocampal neurons (6) 141

PII: S1385-299X(01)00041-1

Seabrook, T.J., Dickstein, J.B. and Hay, J.B.
Cervical lymph cannulation to investigate the efflux and effects of intracerebroventricular cytokine infusions (6) 172
Shumikhina, S., see Molotchnikoff, S. (6) 148
Silberring, J., see Suder, P. (6) 40
Smoluch, M., see Suder, P. (6) 40
Su, Y., see Chang, P.-T. (6) 6
Suder, P., Kotlińska, J., Lęgowska, A., Smoluch, M., Höhne, G., Chervet, J.-P., Rolka, K. and Silberring, J.
Determination of nociceptin–orphanin FQ metabolites by capillary LC–MS (6) 40
Sudo, Y., see Sakurai, Y. (6) 167
Szakaly, R., see Whitlon, D.S. (6) 159

Tabert, M.H., Chokron, S., Tang, C.Y., Wei, T., Brickman, A.M. and Buchsbaum, M.S.
Visual target detection paradigm for the study of selective attention (6) 80
Tan, Y.-F., see Molotchnikoff, S. (6) 148
Tang, C.Y., see Tabert, M.H. (6) 80
Tata, A.M.
An in situ hybridization protocol to detect rare mRNA expressed in neural tissue using biotin-labelled oligonucleotide probes (6) 178
Tendler, Y., see Weisinger, G. (6) 71
Tramontina, F., Karl, J., Gottfried, C., Mendez, A., Gonçalves, D., Portela, L.V. and Gonçalves, C.-A.
Digitonin-permeabilization of astrocytes in culture monitored by trypan blue exclusion and loss of S100B by ELISA (6) 86

Valenti, D., see Atlante, A. (6) 1
Van Eykern, L.A., Geisler, H.C. and Gramsbergen, A.
A new technique for simultaneously recording EMG and movements in experimental animals (6) 108

Wegiel, J., see Gong, C.-X. (6) 134
Wei, T., see Tabert, M.H. (6) 80
Weisinger, G., Tendler, Y. and Zinder, O.
Quantification of p53 expression in the nervous system (6) 71
Whitlon, D.S., Szakaly, R. and Greiner, M.A.
Cryoembedding and sectioning of cochleas for immunocytochemistry and in situ hybridization (6) 159

Zinder, O., see Weisinger, G. (6) 71